DATE: 10 September 1999

STATEMENT OF WORK FOR THE REPAIR OF THE TACTICAL DEFENSE ALERT RADAR (TDAR) ANTENNA PEDESTAL 5985-01-371-4311

Control Number: SOW-00-844-2-8F591B-2/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to repair the TDAR Antenna Pedestal, NSN 5985-01-371-4311.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

R.S. Jones for Tarry Herndon LAWRENCE E. HERNDON

Weapons System Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

CYNTHIA A. POOLE

Team Leader

Inventory Manager

(Code 844-2)

MARCORSYSCOM, Albany, GA

September 10, 1999

STATEMENT OF WORK FOR THE REPAIR OF THE TACTICAL DEFENSE ALERT RADAR (TDAR) ANTENNA PEDESTAL 5985-01-371-4311

Control Number: SOW-00-844-2-8F591B-2/1

- 1.0 SCOPE: This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that the Contractor will perform to repair the Antenna Pedestal. This document contains requirements to restore the item to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining.
- 2.0 APPLICABLE DOCUMENTS: The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which s in effect on the date of solicitation. In the event of conflict between the documents referred herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1C	DoD Standard Practice for Military Packaging
MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-130	Identification Marking of U.S. Military Property

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Military Specifications

MIL-P-15024 Plates, Tags, Hose Assembly Identification
MIL-C-81309 Corrosion Preventive Compounds, Water Displacing,
Ultra Thin Film

2.3 Industry Standards

ANSI/EIA-625 Requirements for Handling-Electrostatic-Discharge-ANSI/ISO/ASQC-Q9003-1994 Quality Systems 2.4 Other Government Documents and Publications: The issue of those documents cited below shall be used.

SL-3-09480A Radar Set, TDAR, AN/UPS-3

TM 09480A-12&P/1 Operation and Mantenance Instructions, TDAR

TM 09480A-34&P/5 Pedestal Assembly, AN/UPS-3

TM 09480A-34&P/5 Supplement 1

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel

from the Federal Supply System

Copies of military specifications and standards are available from the Naval Publications and Forms center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Weapons System Manager (WSM): Commander, Marine Corps Logistics Bases, (Code 844-2) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-5432 or DSN 567-5432. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. STE 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 REQUIREMENTS

- 3.1 General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts necessary to inspect, diagnose, restore, test, and calibrate the Antenna Pedestal. Upon completion of repairing the subject item it shall be Condition Code "A".
- 3.2 <u>Detail Tasks</u>: The following tasks describe the different phases for repair of the Antenna Pedestal.

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I Pre-Induction: A pre-induction inspection analysis shall be performed for each Antenna Pedestal within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign CC "F", otherwise assign CC "M" and induct into repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- 3.2.2 <u>Phase II Repair</u>: After pre-induction tests and inspections have been completed, repair of the Antenna Pedestal shall be accomplished in accordance with this SOW. Deficiencies noted on Appendix A and Appendix B during Phase I shall be repaired/replaced. Components or

assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. **Publications and Documentation:** The Contractor shall use appropriate technical documentation and TMs to restore the Antenna Pedestal to condition code "A."
 - c. The following Standards and Publications shall be used to assist the Contractor:

MIL-C-81309	Corrosion Preventive Compounds, Water
MIL-P-15024	Plates, Tags, Hose Assembly Identification
MIL-STD-130	Identification Marking of U.S. Military Property
SL-3-09480A	Radar Set, TDAR, AN/UPS-3
TM 09480A-12&P/1	Operation and Mantenance Instructions, TDAR
TM 09480A-34&P/5	Pedestal Assembly, AN/UPS-3
TM 09480A-34&P/5	Supplement 1

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing, and Acceptance of each Antenna Pedestal shall be conducted in accordance with the documents and TM's listed in section 3.2.2c.
- b. The Contractor shall be responsible for conducting all required tests on the Antenna Pedestal.
- c. The Contractor shall be responsible for correcting deficiencies identified during inspection/ testing. MCLB (Code 844-2), Albany, Georgia, representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work in accordance with MIL-STD-2073-1C, Appendix A, Table A.VI, electronic Equipment. Items being prepared for long term storage and/or shipment to overseas destinations shall be provided Level "A" protection. Items being prepared for domestic shipment and immediate use shall be provided Level "B" protection.
 - b. Marking for all items shall be in accordance with MIL-STD-129.

- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>: The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiveing prior written authorization. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) as a guide.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM):

GFE is government owned equipment authorized by contract for use by a Commercial/Government contractor. It is neither consumed during production not incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/G316-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.

- 3.5 <u>Contractor Furnished Materiel (CFM)</u>: The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.21A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.6 Electrostatic Discharge (ESD) Control Program: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that has a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include design, fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

3.8 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and QA representatives shall be permitted to observe the work or to conduct inspections at all reasonable hours.

Final inspection and acceptance testing shall be conducted at the Contractor's facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.

- **3.9** Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the QA representative. The Contractor shall, at no additional cost provide the following:
 - a. Develop a corrective action plan to correct deficiencies.
- b. Upon approval of a corrective action plan, the Contractor shall correct the deficiencies and repeat the verification until all requirements are met.
- **4.0 REPORTS:** The Contractor shall provide Monthly Progress Reports (MPR) summarizing the progress and status of the repair program. Report will include name and phone number for the Contractor point of contact. This report will be submitted no later than the tenth of the following month.
- a. MPR will reflect, by serial number (S/N), the phase of repair and condition code (CC) of all Marine Corps TDAR Antenna Pedestal's held by the Contractor.
 - b. Assets inducted into maintenance, will be identified as CC "M".
 - c. Assets that have completed final inspection will be identified as CC "A".
- d. Assets, that have completed final testing but require additional parts or components prior to issue, will be identified as CC "G".
 - e. Assets awaiting induction into maintenance will be identified as CC "F".
- f. The reports will be submitted via E-Mail to the TDAR Inventory Manager (IM), with courtesy copies to the Weapon System Manager (WSM) and Equipment Specialist (ES). E-mail addresses:

pooleca@matcom.usmc.mil herndonle@matcom.usmc.mil walkerc@matcom.usmc.mil Cindy Poole - Item manager

Lawrence Herndon - Weapons System Manager

Charlie Walker – Equipment Specialist

5.0 COST AND FINANCIAL ADMINISTRATION

a. Upon completion of negotiations, the agreed upon price will be cost reimbursable. The price for any work to be performed for the next fiscal year will be developed by the repairer,

and will be submitted to MCLB Albany, in sufficient time to allow for processing of agreed upon financial documentation, prior to the beginning of the fiscal year.

b. The specific procedures which will be used to transfer funds under this SOW will be determined by financial management representatives, of the two activities. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735-11.2/NAVSUPINST 4440.127E/AFR 400-54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67-7/MCO 4140.1B, Processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19(2)(a).

REPORT OF DISCREPANCY (ROD)				1. DA	ATE OF PREPARAT	TION	2. REPO	RT NUMBER		
SHIPPING	PACKAGING						:			
3. TO (Name and address, include ZIP Code)				4. FR	OM (Name and add	ress, include l	ZIP Code)			
5a. SHIPPER'S NAME				5b. N	UMBER AND DAT	E OF INVOIC		SPORTATION (sybill, TCN, etc.)		NUMBER
7a. SHIPPER'S NUMBER (Purchase Order/Shipment, Contract, etc.)	7b. OFFICE ADMIN	ISTERING	G CONTRAC	<u> </u> СТ			8. REQUISITI Purchase Requ	ONER'S NUME est, etc.)	BER (Requisii	tion,
9. SHIPME	ENT, BILLING, AND	RECEIPT I	DATA			10.	DISCRE	PANCY DATA		11.
NSN/PART NUMBER AND NOMENCLATURE (a)	· · · · · · ·	UNIT OF ISSUE (b)	QUANT SHIPPI BILLE (c)	D/	QUANTITY RECEIVED (d)	QUAN- TITY (a)	UNIT PRICE (b)	TOTAL COST	CODE (d)	AC-2 TION CODE
12. REMARKS (Continue on separate sheet of p	paper if necessary)									
		1011 005								
CONDITION OF MATERIAL C1 - In condition other than that indicated release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without auth (Only when receipt cannot be proper) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that requested unit of issue peck) O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper preservation P3 - Improper marking P4 - Improper unitization	on () Shape of the control of the co	RODUCT (11 - Defice FMS HORTAGE 11 - Quan 12 - Quan 15 - Quan 16 - Quan 17 - Hilegit 17 - Hilegit 17 - Hilegit 18 - Preca 17 - Hissi 18 - Preca 19 - Preca 10 - Quan 11 - Preca 12 - Preca 13 - Preca 14 - Inspect 15 - Servin 16 - Warra 17 - Preca 18 - Quan 19 - Quan	QUALITY Description materials shipments): of MATERIAL less that tity opanty data members that tity less that the tity less that tity less tha	Al (Application of the content of th	on receipt docume requested (Other to set shipments (KINGS (i. e., Name Special Instruction or incomplete data missing or insted item as a separate of the set of the	ent han unit e Plates, Log ns, etc.) ig complete	### IR- Ma 1C - Su 1D - Ma Shi 1E - Loo at dis are 1F - Rei ap, 1G - Re 1H - No	2 ACTION sposition instructed by the sposition instructed at till requirement (Not apposition instructed instructed by the sposition instructe	actions required (See a y document inted expedit opticable to a laterial to be arrise unless critions to the in 15 days of the in 15 days of the interference of the i	remarks) ation e FMS) a returned e contrary (Reply on MS) sted (Not em to be tion only.
13. FUNDING AND ACCOUNTING DATA										
14a. TYPED OR PRINTED NAME, TITLE, AF	ND PHONE NUMBER	OF PREP	PARING OFF	ICIAL	14b. SIGNATUR	Ē	***************************************			<u> </u>
15. DISTRIBUTION ADDRESSEES FOR COR	PIES				I					

18. TO:			<u> </u>			
•				•	this docur address, starting of the left d must NO dot. Add	low envelope to mail ment. Insert name and including ZIP Code, ne typing space below ot. Each address line I extend beyond right dress must not exceed a space typing lines.
19.		E WITH NOTICE OF	DISC	CREPANCY ON	FACE OF THIS FOR	RM:
→ a. MATERIAL ld HAS WILL re BEEN BE	SHIPPED DOCUMENT N	OMBER	Ь.		O OF SHIPMENT. RES	
c. AN ADJUSTMENT IN BILLING HAS BEEN/N BE PROCESSED AS A	/ILL CREDIT	DEBIT	d.	INVOICE/BIL ATTACHED	L e. Ship	OF OF DELIVERY (Parcel Post oments) OR EVIDENCE OF PMENT ENCLOSED.
f. AN ADJUSTMENT IN INDICATED REGULA		D DISCREPANCY WIL	L NO	T BE PROCESSED	FOR THE FOLLOWING	G REASON WHICH IS CITED IN THE
(1) REA	SON FOR NOT PROCESSING	3	(2)		PRESCRIBING	REGULATION
(a) DISCREPANCY WAS ALLOWED AND/OR	NOT REPORTED WITHIN TH	E TIME FRAMES		DEFICIENCIE		OOK, DISCREPANCIES OR HIPMENTS, MATERIAL, OR
■ * *	S NOT MEET THE CRITERIA R AGREEMENT INDICATED II			BILLING SYS		D. 25-7-M, MILITARY STANDARD ID/OR DD 1513, U.S. DOD OFFER BLE.
20.	THE FOLLOWING D	ISPOSITION IS TO	BE N	ADE OF THE R	EFERENCED MATE	,
a. PROCESS FOR DISPO	ISAL IN ACCORDANCE ICY DIRECTIVES			/E WILL CALL FOI ISPOSITION IN:	R DISCUSSION	DAYS
c. RETAIN MATERIAL A	T NO CHARGE.	d. MATERIAL	WILL	BE PICKED UP IN	l:	DAYS
e. SHIP MATERIAL (Spec	cify location):	<u> </u>				
(1) GBL APPRO	PRIATION CHARGEABLE:					
(2) CHARGES C	OLLECT - VIA: FREIG	HT EXPRESS		PARCEL POS	ST (\$	postage advanced herewith.
(3) PARCEL POS	ST LABEL ATTACHED	(4) FREIGHT	PREP	AID	NOTE: Please	enciose postage. Material ned Parcel Post collect.)
f. OTHER (Specify)					CHINAS DE FESA	rea r units root constant
		 				DATE
21. IF MATERIAL IS STILL SUBMIT NEW REQUI	L REQUIRED, SITION			WITH SATISFACT ON OR BEFORE:	ORY MATERIAL	
23. REMARKS (Continue on sept	urate sheet of paper if necessary)	•				
24a. TYPED OR PRINTED NAM	F AND PHONE NUMBER OF	24b. SIGNATURE		·		24c. DATE
PREPARING OFFICIAL	TONE HOWIDER OF	Z-TV. ORGINATORIE				A-10. U/(16

16. FROM:

17. DISTRIBUTION ADDRESSEES FOR COPIES

			C-1 - C	TO A DAY OF	AA 710	1.000			Mr. AA	
1. ORGAN	NIZATION	For use o	i this torm,	BEE DA PAM 7.	38-/30 8		751; the propo ENCLATURE AT	ment agency is DC	SLUG	
02.021.						•	10,100,0101010			
3. RBOIST	TRATION/SER	ASW/IAL	4a. MILES	b. HOURS	o. ROU PIRI		d. HOT STARTS	5. DATE	6. 15	PE INSPECTION
7.				-L	PPLICA	BLE RI	FERENCES	J		
TM NUMB	BER		7	M DATE		טאאד			TMI	ATE
			ļ.							*
COLUM	IN b - Enter	TM item number the applicable co deficiencies and	ndition statu	•		listed :	in Column c.	corrective action f	,	
				ST	ATUS S	ҮМВО	LS			
inoperati CIRCLE may be	ive status. ED "X" - Inc operated i	ficiency in the equi ficates a deficience ander specific limi scribed locally, ur	y, however, tations as di	the equipment rected by highe		deficie make LAST	ncy which mu the item compl NAME INITI	Indicates a materia st be corrected to in etely serviceable. AL IN BLACK, E that a completely s	ncrease efficies	INK, OR
accompli		•				•				
compone is due bu	ent replacem it has not be complished.	SH "(-)" - Indicat tent, maintenance en accomplished,	operation of or an overd	neck, or test flig ne MWO has no	ht ot			status symbols will		
	ALL INS	PECTIONS AND	EQUIPME	NT CONDITION	ONS RE	CORDI	D ON THIS I	ORM HAVE BE	EN DETERMI	NED
8a. SIGNA	IN AU	CORDANCE W (s) performing inspect	ITH DIAG	NOSTIC PROC			STANDARD Maintenance Sup	S IN THE TM CI	TED HEREON	V,
	, , , , , , , , , , , , , , , , , , ,	(a) perjorming ricipae.	,	u. IIWE	34. 310	NATURE	(vzaintenonés sup	rervisar)	AP. TIWE	REQUIRED
TM ITEM NO.	STATUS	DEFICIE	NCIES AND SE	FORTCOMINGS			COR	RECTIVE ACTION		INITIAL WHEN CORRECTED
	<u> </u>						· · · · · · · · · · · · · · · · · · ·			<u> </u>
					1					1
				· · · · · · · · · · · · · · · · · · ·						
							<u></u>			

DA FORM 2404 1 APR 79

Procedes edition of 1 Jan 84, which will be used

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, aserching existing date sources, gethering and meintaining the data needed, and completing and neviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suits 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provisions low, no person shell be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number. Please DD NOT RETURN your form to the above addisses. Send completed form

A. CONTRACT LINE 17	tracting Officer for the Contract/PF	B. EXHIBIT		C. CATEGORY:							
				TDP TM _	OTHER	THER X					
D. SYSTEM/ITEM TDAR	Antenna Pedestal	E. CONTRACT/PR NO. F.			F. CONTRA	NTRACTOR					
. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						
A001		Request	For Deviation	n		Configuration Ma	nageme	ent			
4. AUTHORITY (Data Acquisit		•	5. CONTRACT REFERE			6. REQUIRING OFFICE					
	CMAN-80640B			SOW 3.3		MCLBA	4 (825))			
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION					
L I B. APP CODE				SEE BLK	10			b. COPIES			
I. AFT GUDE	Α	II. Ra OF DR	, -	SUBMISSION		a. Addressee	Draft	Fin			
II. REMARKS RIK 4 - Contrac	ctor format is auth	norized				MCLBA (825-2)	0	Rag 1	Repro (
onconforming locumentation.	material which d	oes not i	to obtain auth neet prescribe	orization to delive ed configuration	er	,					
RFDs will be receipt by the C	eviewed and disposorement.	osition de	etermined wit	hin 30 calendar d	ays upon						
		-Mail to	the following	address.							
rawfordbj@m	transmitted via E atcom.usmc.mil	ATMIL IU	TO TOTOWING	, Laures.							
							ļ				
Distribution Sta	atement A: Appre	oved for	public release	e, distribution is v	ınlimited		 				
							-				
							 				
							-				
							<u> </u>				
							1				
							 				
							 				
							┼╾┤	\longrightarrow			
							 - 				
							 - 				
						15. TOTAL	0	1			
. PREPARED BY			H. DATE	I. APPROVED E	Y		J. DATE		·		
Bettere	un Ba	100	23 aus	99 1.		<i></i> .		. /			
- Lines	van Craw	gual	Jan Common	S' K.S. lon	u for 1	erry Hundon	9/	14/4	9		
D FORM 1423-1	. AUG 96 (FG)		PR	REVIOUS EDITION MAY BE	LISED	7	Pane		Por		

CONTRACT DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of leav, no person shall be subject to any penalty for failing to collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E. A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: OTHER TM D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR TDAR Antenna Pedestal 2. TITLE OF DATA ITEM 17. PRICE GROUP 1. DATA ITEM NO. 3. SUBTITLE A002 Request For Waiver Configuration Management 5. CONTRACT REFERENCE 6. REQUIRING OFFICE 18. ESTIMATED 4. AUTHORITY (Data Acquisition Document No.) TOTAL PRICE **DI-CMAN-80641B SOW 3.3** MCLBA (825) 7. DD 250 NEQ 1. DIST STATEMENT 12. DATE OF FIRST SUBMISSION 10. FREQUENCY DISTRIBUTION REQUIRED **ASREQ** LT SEE BLK 16 h copies B. APP CODE 11. AS OF DATE 13. DATE OF SUBSEQUENT a. ADDRESSEE SUBMISSION Dreft A Repro 16. REMARKS Ō MCLBA (825-2) 0 Blk 4 - Contractor format is authorized. Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFWs shall be transmitted via E-Mail to the following address: crawfordbj@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited

H. DATE

23 aug

G. PREPARED BY

DD FORM 1423-1, AUG 96 (EG)

Page ____ of ___ Pag

0

Designed using Perform Pro, WHS/DIOR, Aug 96

0

J. DATE

15. TOTAL

I. APPROVED BY

PREVIOUS EDITION MAY BE USED.